

Arc Ecology, et al. v. Maritime Administration, et al.

E.D. Cal. 2:07-cv-02320-GEB-KJN

Quarterly Status Report, Quarter ending December 31th, 2015

Per the requirements of the Consent Decree (paragraph VI. 7. (a) (1)) the following is submitted by the Office of Ship Disposal for the fiscal year quarter ending December 31, 2015:

1. Number and description of Suisun Bay Reserve Fleet (SBRF) non-retention vessels in the process, or to be included in the process, of acquiring dry-docking, towing and recycling (or other) disposal services for the following quarter, which may result in the removal of the vessels depending on the availability and scheduling of industrial and other resources:

<u>Vessel</u>	<u>Scheduled Removal Date</u>
CAPE BLANCO	To be Determined

2. SBRF non-retention vessels removed during the quarter ending September 30, 2015:

<u>Vessel</u>	<u>Disposition</u>	<u>Removal Date</u>
None	None	None

3. Description of *exfoliating* and *exfoliated* paint removal: Each vessel that has been remediated in this quarter; the status of removal of exfoliating and exfoliated paint and characterization, removal, storage, transportation and disposal of any hazardous waste associated with removal of such paint and debris.

- a. Status of exfoliated paint removal: Exfoliated paint was removed from exterior horizontal surfaces of the ships listed in Table 1. The material removed included exfoliated paint, rust scale, corroded metal, bird waste, dust and miscellaneous debris. Methodology is/was pursuant to the SBRF Stormwater Pollution Prevention Plan (SWPPP).

Table 1

Status of Exfoliated Paint											
AREA OF INDUSTRIAL ACTIVITY	# of drums	*approx weight of drums	#22 P3 Maintenance Due	#22 P3 Maintenance Completed	# of drums	*approx weight of drums	#23 P3 Maintenance Due	#24 P3 Maintenance Completed	# of drums	*approx weight of drums	#24 P3 Maintenance Due
CAPE BRETON	0.25	50	10/5/2015	10/1/2015	0.25	50	12/31/2015	12/30/2016	0.5	50	3/29/2016
CAPE BORDA	0.25	50	9/29/2015	9/24/2015	0.25	50	12/23/2015	12/23/2015	0.5	50	3/21/2216
CAPE BLANCO	0.25	50	10/6/2015	10/6/2015	0.25	50	1/5/2016	1/5/2016	0.25	20	4/4/2016

- b. Status of exfoliating paint removal: No activity for this quarter.

Note: As of March 27, 2012, all MARAD Non-Retention vessels listed in Amended Exhibit A to the Consent Decree have been remediated of exfoliated and exfoliating

paint above the waterline in compliance with paragraph 6(b)(2) of the Consent Decree.

- c. Characterization of any hazardous waste associated with removal of exfoliating and exfoliated paint: Exfoliated paint is managed as hazardous waste and subject to RCRA Subtitle C, California's HWCL, and implementing regulations. During this quarter, the Maritime Administration has performed no characterization that would support a determination that exfoliated paint is not hazardous waste. Prior to transportation and disposal, waste characterization for exfoliated paint removed was based on previous sampling data. This method was adopted to avoid duplication of cost/effort. Paint chips and debris had been analyzed during the initial sweeping phase and from the paint sampling and analysis accomplished in 2006 and 2010. All samples were characterized as hazardous waste and properly disposed.
- d. Removal of any hazardous waste associated with removal of exfoliating and exfoliated paint:
 - i. Exfoliated paint: All such hazardous waste was initially collected by shoveling, HEPA vacuuming and/or sweeping, then consolidated into five gallon buckets, hand-carried and emptied into 55-gallon reconditioned steel drums staged on one end of each vessel being cleaned.
 - ii. Exfoliating paint: No activity for this quarter.
- e. Storage of any hazardous waste associated with removal of exfoliating and exfoliated paint:
 - i. Exfoliated paint: Filled drums (as described in section 3.d.i) were transported and stored in the SBRF parking lot under cover, pending disposal, in accordance with established BMPs.
 - ii. Exfoliating paint: No activity for this quarter.
- f. Transportation of any hazardous waste associated with removal of exfoliating and exfoliated paint:
 - i. Exfoliated paint: Filled 55-gallon drums containing such waste were transported from vessels by crane barge to the pier, then fork-lifted to the parking lot where they are stored under cover on pallets. Transportation to the disposal site was accomplished via contract, with pick-up being as needed.

- ii. Exfoliating paint: No activity for this quarter.
- g. Disposal of any hazardous waste associated with removal of exfoliating and exfoliated paint:
 - i. Exfoliated paint: Drums containing such waste were disposed by contractor, Industrial Waste Utilization, Inc., with the waste being hauled to US Ecology, Beatty, and NV (TSDF).
 - ii. Exfoliating paint: No activity for this quarter.
- 4. Vessel Condition Summary Report. The Vessel Condition Summary Report for this quarter is included as an attachment to this report.
- 5. Hazardous Waste Manifests. Copies of all hazardous waste manifests for any material disposed of during this quarter from the SBRF are included as an attachment to this report.

VESSEL CONDITION SUMMARY

RANK	SCORE	OVERALL RATING	SHIP NAME	PROGRAM	STATUS	LOCATION	HULL COND	HULL LEAKS	HULL PATCH	TOTAL OIL LT	TOPSIDE COND	PAINT	COVERAGE	INT COND	DISC RISK	HULL BLANK	TCLP	YEAR BUILT	ENTERED FLEET	CONDITION REMARKS
1	2.58	YELLOW	NASSAU	Custody	Navy	BRF	2	0	1	306.8	5	3	2	4	3	I	NO	1979	4/28/2011	SCHEDULED FOR CUSTODY RETENTION THROUGH FY-16 - 5-YEAR PLAN
2	3.24	YELLOW	CAPE ALEXANDER	Non-Retention	Disposal	JRRF	5	0	0	484.1	2	4	4	2	4	X	Unk	1962	09/04/03	
3	3.24	YELLOW	IRIS	Custody	USCG	SBRF	4	0	0	0.0	3	2	2	4	4	I	Zn	1943	8/8/1997	
4	3.24	YELLOW	PLANETREE	Custody	USCG	SBRF	4	0	0	0.0	3	2	2	4	4	I	Zn	1943	5/14/1999	
5	3.24	YELLOW	SIMON LAKE	Custody	Navy	JRRF	5	0	0	0.0	4	2	2	4	3	I	No	1964	12/03/15	
6	3.29	YELLOW	CAPE MENDOCINO	Retention	Log Support	BRF	5	0	0	1204.8	5	3	3	3	4	X	TBD	1972	10/15/2011	
7	3.33	YELLOW	HARKNESS	Retention	Log Supply	JRRF	5	0	0	93.6	3	3	3	2	4	I	No	1967	03/29/93	
8	3.43	YELLOW	TRIPOLI	Non-Retention	Disposal	BRF	5	0	0	10.81	5	3	3	4	4	X/I	TBD	1965	4/10/2015	
9	3.52	GREEN	CHESAPEAKE	Retention	Log Support	BRF	5	0	0	29.7	4	2	2	5	3	X	NO	1964	2/18/2009	
10	3.62	GREEN	FB-62	Retention	Fleet Supp	SBRF	4	0	0	0.0	4	3	2	4	4	X	Pb	1944	5/23/1962	Vertical surfaces on the main and 01 decks were recoated as of 6/28/13.
11	3.62	GREEN	TRIUMPH	Retention	Log Supp	SBRF	5	0	0	50.2	4	3	3	4	2	I	Zn	1984	2/9/1996	
12	3.62	GREEN	CAPE FLORIDA	Retention	Log Support	BRF	5	0	0	59.8	4	3	2	5	3	I	TBD	1971	10/11/2005	Vertical surfaces on the main and 01 decks were recoated as of 6/28/13.
13	3.71	GREEN	EQUALITY STATE	Non-Retention	Stripping	BRF	5	0	0	605.2	5	4	3	4	4	I	NO	1962	12/13/2005	
14	3.86	GREEN	CAPE JUBY	Retention	Log Supply	JRRF	5	0	0	631.7	4	4	4	4	4	X	No	1962	07/01/03	
15	3.86	GREEN	CAPE FLATTERY	Retention	Military Usefu	BRF	5	0	0	435.2	5	3	3	5	4	NO	TBD	1973	7/20/2008	
16	4.00	GREEN	CAPE JOHNSON	Non-Retention	Disposal	JRRF	5	0	0	507.6	4	4	4	4	4	X	No	1962	09/18/08	
17	4.00	GREEN	CAPE GIBSON	Non-Retention	Disposal	BRF	5	0	0	526.1	5	3	3	5	4	X	TBD	1968	4/4/2012	
18	4.14	GREEN	REGULUS	RRF	RRF	BRF/MLF	5	0	0	4610	5	5	5	5	5	NO	TBD	1972	8/19/2014	
19	4.19	GREEN	CAPE FEAR	Retention	Log Supp	SBRF	5	0	0	195.0	5	4	4	5	2	X	Pb	1971	7/19/2006	
20	4.29	GREEN	CAPE JACOB	Retention	Log Supp	SBRF	5	0	0	238.0	5	3	2	5	4	X	TBD	1961	4/29/2011	Started coating maintenance April 2014, topside conditions greatly improved
21	4.29	GREEN	CAPE NOME	Retention	Log Supply	JRRF	5	0	0	224.1	4	4	4	5	4	X	No	1969	03/13/03	
22	4.29	GREEN	CAPE FAREWELL	Retention	Military Usefu	BRF	5	0	0	200.3	5	4	4	5	4	NO	TBD	1973	6/16/2009	
23	4.29	GREEN	CAPE LOBOS	Non-Retention	Disposal	BRF	5	0	0	76.8	5	3	3	5	4	X	NO	1972	9/29/2008	COSMETIC WORK 4TH QTR UPGRADE GREEN
24	4.29	GREEN	DIAMOND STATE	Retention	Log Support	BRF	5	0	0	191.3	5	4	3	5	4	I	NO	1960	7/20/2006	
25	4.29	GREEN	SAMUEL COBB	Retention	Interim Hold	BRF	5	0	0	265.7	5	4	4	5	3	X	TBD	1985	2/28/2011	
26	4.29	GREEN	POLLUX	RRF	RRF	BRF/MLF	5	0	0	6489.0	5	5	5	5	5	NO	TBD	1973	11/30/2014	
27	4.43	GREEN	CAPE ARCHWAY	Non-Retention	Disposal	JRRF	5	0	0	157.0	4	4	4	5	4	X	No	1963	07/10/03	
28	4.43	GREEN	CAPE AVINOF	Retention	Training Use	JRRF	5	0	0	57.3	4	4	4	5	4	X	No	1963	10/17/03	
29	4.43	GREEN	CAPE ANN	Retention	Training Use	JRRF	5	0	0	48.9	4	4	4	5	4	X	Unk	1962	07/22/03	
30	4.43	GREEN	CAPE ALAVA	Non-Retention	Disposal	JRRF	5	0	0	37.4	4	4	4	5	4	X	No	1962	07/24/03	
31	4.43	GREEN	PAUL BUCK	Retention	Interim Hold	BRF	5	0	0	56.7	5	4	4	5	3	X	TBD	1985	2/1/2011	CARGO TANKS UNDER DH
32	4.43	GREEN	RICHARD G. MATTHIESEN	Retention	Military Usefu	BRF	5	0	0	73.87	5	4	4	5	3	X	TBD	1985	5/10/2011	CARGO TANKS UNDER DH.
33	4.57	GREEN	GREEN MOUNTAIN STATE	Retention	Log Supp	SBRF	5	0	0	84.1	5	3	3	5	4	X	Cu	1965	8/2/2004	Started coating maintenance April 2014, topside conditions improving
34	4.57	GREEN	CAPE BLANCO	Non-Retention	Disposal	SBRF	5	0	0	26.6	5	4	4	5	4	X	Zn	1965	3/27/2003	Topside coating remediation completed by SBRF crew on 11/4/11
35	4.57	GREEN	CAPE BORDA	Non-Retention	Disposal	SBRF	5	0	0	14.8	5	4	4	5	4	X	Zn	1967	7/21/2003	Topside coating remediation completed by SBRF crew on 6/24/11
36	4.57	GREEN	CAPE BOVER	Retention	Log Supp	SBRF	5	0	0	14.3	5	4	4	5	4	X	Zn	1966	7/17/2003	
37	4.57	GREEN	CAPE BRETON	Non-Retention	Disposal	SBRF	5	0	0	3.3	5	4	4	5	4	X	Pb	1967	3/25/2003	Topside coating remediation & maintenance completed by SBRF crew on 6/27/11
38	4.57	GREEN	CAPE VICTORY	RRF	RRF	BRF	5	0	0	417.1	5	5	5	5	5	NO	TBD	1984	7/10/2009	
39	4.57	GREEN	CAPE VINCENT	RRF	RRF	BRF	5	0	0	445.9	5	5	5	5	5	NO	TBD	1984	8/26/2009	
40	4.71	GREEN	CAPE GIRARDEAU	Retention	Log Supp	SBRF	5	0	0	228.0	5	5	5	5	4	X	Zn	1968	7/24/2008	
41	4.86	GREEN	OBSERVATION ISLAND	Non-Retention	Stripping	BRF	5	0	0	0.1	5	4	5	5	5	X/I	TBD	1953	3/29/2014	
42	4.86	GREEN	SUMNER	Non-Retention	Stripping	BRF	5	0	1	12.14	5	4	5	5	5	X	TBD	1992	8/28/2014	
43	5.00	GREEN	ACE CUSTOM DECK BARGE	Custody	Army	BRF	5	0	0	0.0	5	5	5	5	5	NA	TBD	2010	2/23-3/4/2010	

Key for Vessel Condition Report

BOLD RED: Indicates changes from previous report
HIGHLIGHTED YELLOW: Indicates missing data
TOTAL OIL= is the total of heavy oil + diesel fuel + lube oil

Non-Retention = MARAD vessels that no longer have a useful application and are pending disposition
Retention = MARAD vessels that are being preserved for federal agency programs
Custody = Vessels owned/sponsored by other government programs or agencies that are being maintained by MARAD in the NDRF on a reimbursable basis
Hull Leaks and Patches = when a leak is patched it is only shown as a patch. A ship with one leak that was patched will show "0" leaks and "1" patch. These do not affect the Condition Scores.
SORTING: Numerically descending based upon composite condition score.

Hull Condition Rating -

- 1 – Known holes exist in the underwater hull that may or may not be patched where the flooded parts of the vessel can be isolated and the potential for additional holes is deemed to be high.
- 2 – Known holes exist in the underwater hull that may or may not be patched where the flooded parts of the vessel can be isolated and the potential for additional holes is moderate.
- 3 – No known or suspected holes are in the underwater hull, the minimum hull scantlings are less than 25% of the classification society original hull thickness requirement, and the potential for the near-term development of holes is moderate.
- 4 – No known or suspected holes are in the underwater hull and the minimum hull scantlings are between 25% and 50% of the classification society original hull thickness requirement.
- 5 – No known or suspected holes are in the underwater hull and the minimum hull scantlings are between 50% and 100% of the classification society original hull thickness requirement.

Topside Condition Rating

- 1 – Many known or suspected holes exist in topside areas that leak major amounts of rainwater, which must be pumped frequently.
- 2 – Some known or suspected holes exist in topside areas that leak substantial amounts of rainwater, which must be pumped regularly.
- 3 – A small number of known holes in topside areas that leak rainwater, which must be pumped occasionally.
- 4 – No holes exist in topside areas and no pumping of water from the vessel is required beyond minor occasional bilge house keeping; however, some areas have severe deterioration as indicated by heavy rust and peeling paint.
- 5 – No holes exist in topside areas and no pumping of water from the vessel is required beyond minor occasional bilge house keeping and minor deterioration exists as indicated by slight rust and peeling paint.

Paint Condition

- 1 - At least 25% of paint has potential for exfoliation, or there is substantial accumulation of exfoliated paint on deck that has potential for being discharged into the water.
- 2 - Between 5% and 25% of paint has potential for exfoliation, or there is moderate accumulation of exfoliated paint on deck that has potential for being discharged into the water.
- 3 - Less than 5% of paint has potential for exfoliation.
- 4 - Paint is intact and within their service life condition.
- 5 - Paint is intact, in like-new condition.

Coating Coverage

- 1 - Major coating degradation exists where large areas of hull or topside steel and rust is visible.
- 2 - Moderate coating degradation exists where small areas of hull or topside steel or rust is visible.
- 3 - Minor coating degradation exists where rust is beginning to bleed through coatings as cracks and chips.
- 4 - Coating are intact and within their service life condition.
- 5 - Coatings are intact, in like-new condition.

Interior Condition Rating

- 1 – Severe rainwater damage or there are spaces that are not safe to enter without personal protective equipment.
- 2 – Minor rainwater damage or there are spaces that are not normally configured because of equipment or vessel structures moved so normal passage ways are blocked or partially blocked.
- 3 – There is no rainwater damage but the potential for damage occurring is high or spaces have large amounts of debris that can't be cleaned by the fleet workforce.
- 4 – Interior spaces are sealed from the external atmosphere but humidity is not actively being lowered with a dehumidification system and spaces are free of debris.
- 5 - Interior spaces are sealed from the external atmosphere and humidity is actively being lowered with a dehumidification system and spaces are free of debris.

Discharge Risk Condition Rating

- 1 – High risk for or evident discharge; major remediation required.
- 2 – High risk for or evident discharge; minor remediation required.
- 3 – Low risk for discharge; major remediation required.
- 4 – Low risk for discharge; minor remediation required.
- 5 – Low risk for discharge; no remediation required.

CALCULATING THE CONDITION SCORE: The Condition Score is the average of the following seven component scores with each component being weighted appropriately. In essence it is found:

$$\text{Vessel Condition} = \frac{(\text{Hull} + \text{Oil} + \text{Topside} + \text{Paint} + \text{Coverage} + \text{Interior} + \text{Discharge Risk})}{7}$$

The Condition Score is on a scale of 0 to 5, where a score of 5 is best and 0 is worst.

HULL CONDITION SCORE: Hull condition ranges from 1 to 5, where hull the worst vessels are weighted heavier on the scale and is adjusted according to the presence and location of hull blanks. If there are no hull blanks, the hull condition is reduced by one point. If there are internal hull blanks the hull score is reduced by 0.5 points. If there are external hull blanks or no need for hull blanks (N/A) then the hull condition is not affected. After the hull score is adjusted for blanks, it is weighted on the lower end of the scale. Hull scores between 2 and 5 are not affected. A score greater than 1.0 but less than 2.0 is weighted by a factor of 1.5. A score less than 1.0 is weighted by a factor of 2.

TOTAL OIL SCORE: The Oil Ranking Factor shows how much oil is onboard a vessel, in LT. For the purpose of calculating the Condition Score, this value is reduced to a scale of 0 to 5. For all oil values at or above 1000LT, the value is 0; otherwise, in the range of 800 to 1000LT is 1, 600 to 800LT is 2 points, 400 to 600LT is 3 points, 200 to 400LT is 4 points and less than 200LT of oil is worth 5 points. Furthermore, the Oil Score is tied to the weighted Hull Condition Score. If a Hull Score is less than 2.0, the Oil Score is weighted by a factor of 1.5. A Hull Score of less than 1.0 affects the Oil Score by a factor of 2.

TOPSIDE CONDITION SCORE: Topside condition ranges from 1 to 5, where hull the worst vessels are weighted heavier on the scale. A rating of 5 is worth 5 points, 4 worth 4 points 3 worth 3, 2 worth 1.333 (2 weighted by a factor of 1.5) and 1 is worth 0.5 points (1 weighted by a factor of 2).

PAINT CONDITION SCORE: Paint condition ranges from 1 to 5, where hull the worst vessels are weighted heavier on the scale. A rating of 5 is worth 5 points, 4 worth 4 points 3 worth 3, 2 worth 1.333 (2 weighted by a factor of 1.5) and 1 is worth 0.5 points (1 weighted by a factor of 2).

COATING COVERAGE SCORE: Coating coverage ranges from 1 to 5, where hull the worst vessels are weighted heavier on the scale. A rating of 5 is worth 5 points, 4 worth 4 points 3 worth 3, 2 worth 1.333 (2 weighted by a factor of 1.5) and 1 is worth 0.5 points (1 weighted by a factor of 2).

INTERIOR CONDITION SCORE: Interior condition ranges from 1 to 5, where hull the worst vessels are weighted heavier on the scale. A rating of 5 is worth 5 points, 4 worth 4 points 3 worth 3, 2 worth 1.333 (2 weighted by a factor of 1.5) and 1 is worth 0.5 points (1 weighted by a factor of 2).




DISCHARGE RISK CONDITION SCORE: Discharge Risk condition ranges from 1 to 5, where hull the worst vessels are weighted heavier on the scale. A rating of 5 is worth 5 points, 4 worth 4 points, 3 worth 3, 2 worth 1.333 (2 weighted by a factor of 1.5) and 1 is worth 0.5 points (1 weighted by a factor of 2).

DETERMINING THE OVERALL RATING: The Overall Rating groups the vessels for easier condition identification. Any vessel with a Condition Score less than 2.5 is a **RED** vessel. Any vessel with a score between 2.51 and 3.499 is a **YELLOW** vessel. Any vessel with a score greater than or equal to 3.5 is a **GREEN** vessel.

ADDITIONAL COLUMNS:

TCLP - Indicates any exceedences of the Toxicity Characteristic Leaching Procedure tests. The presence of any heavy metals in notable quantities is shown in this column.

HULL BLANKS - Indicates the presence and configuration of hull blanks. X - External Blanks, I - Internal Blanks, NO - None Present, N/A - Not Applicable. **The presence of internal blanks reduces the Hull Condition by 0.5 points. The lack of hull blanks reduces the Hull Condition by 1 point. External hull blanks (or N/A where appropriate) do not affect the Hull Condition.**

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number CA5690090571	2. Page 1 of 1	3. Emergency Response Phone 909-984-9984	4. Manifest Tracking Number 009091427 FLE		
5. Generator's Name and Mailing Address US DOT MARITIME ADMIN SUISUN BAY RESERVE 2590 LAKE HERMAN ROAD BENECLA, CA 94510				Generator's Site Address (if different than mailing address)			
Generator's Phone: 707 745-5604							
6. Transporter 1 Company Name INDUSTRIAL WASTE UTILIZATION, INC.				U.S. EPA ID Number CA0980585293			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address AA SYDCOL, LLC 1925 S. FACTOR AVIE. YUMA, AZ 85365				U.S. EPA ID Number AZ000501510			
Facility's Phone: 928-783-3676							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
	1. Non RCRA Hazardous waste solid (only rags/absorbents)	6	DM 1101		P	223	
	2.						
	3.						
	4.						
14. Special Handling Instructions and Additional Information 1) oily rags/absorbents approval # 818153-31.1							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offeror's Printed/Typed Name Joseph A. Pecoraro				Signature 		Month Day Year 9 23 15	
16. International Shipments <input type="checkbox"/> Import to U.S. <input checked="" type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name MCMANAMA, CARRY C.				Signature 		Month Day Year 9 23 15	
Transporter 2 Printed/Typed Name				Signature		Month Day Year	
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator)				Manifest Reference Number: RECEIVED		U.S. EPA ID Number OCT 27 2015	
Facility's Phone:				Signature SUISUN BAY RESERVE FLEET		Month Day Year	
18c. Signature of Alternate Facility (or Generator)							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. H141		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name A. HAYDEN				Signature 		Month Day Year	

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number CA5690090571	2. Page 1 of 1	3. Emergency Response Phone 909-984-9984	4. Manifest Tracking Number 009091428 FLE	
5. Generator's Name and Mailing Address US DOT MARITIME ADMIN SALSUN BAY RESERVE 2500 LAKE MEADOW ROAD BENECLA, CA 94510 Generator's Phone: 707-745-5604				Generator's Site Address (if different than mailing address)		
6. Transporter 1 Company Name INDUSTRIAL WASTE UTILIZATION, INC.				U.S. EPA ID Number CA09B0585293		
7. Transporter 2 Company Name				U.S. EPA ID Number		
8. Designated Facility Name and Site Address US ECOLOGY HWY 95, 11 MILES SOUTH OF BEATTY BEATTY, NV 89003 Facility's Phone: 800-239-3943				U.S. EPA ID Number NVF330010000		
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
		No.	Type			
X	1. RQ, NA3077, Hazardous waste, solid, n.o.s. (lead based paint chips/perlite/coconut fiber), 9, PGLII	3	DM	600	P	D008 U01
	2.					
	3.					
	4.					
14. Special Handling Instructions and Additional Information 1) lead based paint chips/debris-approval # 070128303-1091						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Offeror's Printed/Typed Name Joseph A. Peabro				Signature 		Month Day Year 9/23/15
16. International Shipments <input type="checkbox"/> Import to U.S. <input checked="" type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:						
17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name: L. MANANA, LARRY L. Signature: Month Day Year: 9/23/15 Transporter 2 Printed/Typed Name: Signature: Month Day Year:						
18. Discrepancy 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection Manifest Reference Number:						
18b. Alternate Facility (or Generator) Facility's Phone:				U.S. EPA ID Number		
18c. Signature of Alternate Facility (or Generator)				NOV 12 2015		Month Day Year
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1. H039	2.	3.	4.			
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name: Tabitha Moore Signature: Month Day Year: 11/09/15						

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number CA5690090571	2. Page 1 of 1	3. Emergency Response Phone 909-984-9984	4. Manifest Tracking Number 009091747 FLE		
5. Generator's Name and Mailing Address THE DOT MARITIME ADMIN SUISON BAY RESERVE 2595 LAKE BERMAN ROAD BONNEVILLE, CA 94510 Generator's Phone: 707 745-5604				Generator's Site Address (if different than mailing address)			
6. Transporter 1 Company Name INDUSTRIAL WASTE UTILIZATION, INC.				U.S. EPA ID Number CA0980585293			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address AA SYDCOL, LLC 1925 S. FACTOR AVE. YUMA, AZ 85365 Facility's Phone: 928-783-3676				U.S. EPA ID Number AZR000501510			
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
	1. Non RCRA Hazardous waste solid (oily rags/absorbents)	4	DM	366	P	223	
	2.						
	3.						
	4.						
14. Special Handling Instructions and Additional Information 1) oily rags/absorbents-approval # 918153-SL1							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offeror's Printed/Typed Name JOHNNY BELCHER				Signature <i>Johnny Belcher</i>		Month Day Year 10 23 15	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name MC MANATA, LARRY L.				Signature <i>LM</i>		Month Day Year 10 23 15	
Transporter 2 Printed/Typed Name				Signature		Month Day Year	
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number _____							
18c. Signature of Alternate Facility (or Generator) _____ Month Day Year _____							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1.		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name				Signature		Month Day Year	

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number CA5690090571	2. Page 1 of 1	3. Emergency Response Phone 909-984-9984	4. Manifest Tracking Number 009091748 FILE		
5. Generator's Name and Mailing Address US DOT MARITIME ADMIN SUISUN BAY RESERVE 2595 LAKE HERMAN ROAD BENECIA, CA 94510 Generator's Phone: 707 745-5604						
Generator's Site Address (if different than mailing address)						
6. Transporter 1 Company Name INDUSTRIAL WASTE UTILIZATION, INC.				U.S. EPA ID Number CAD980585293		
7. Transporter 2 Company Name				U.S. EPA ID Number		
8. Designated Facility Name and Site Address US ECOLOGY HWY 95, 11 MILES SOUTH OF BEATTY BEATTY, NV 89003 Facility's Phone: 800-239-3943				U.S. EPA ID Number NVT330010000		
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	
			No.	Type	12. Unit Wt./Vol.	
	X	1. RQ, NA3077, Hazardous waste, solid, n.o.s. (lead based paint chips/perlite/coconut fiber), 9, PGII	22	DM	4882	
		2.				
		3.				
		4.				
13. Waste Codes D008 181						
14. Special Handling Instructions and Additional Information 1) lead based paint chips/debris-approval # 070128303-1091						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Offeror's Printed/Typed Name X Anthony Belcher		Signature <i>Anthony Belcher</i>		Month	Day Year	
				10	23 15	
TRANSPORTER	16. International Shipments: <input type="checkbox"/> Import to U.S. <input checked="" type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____					
	17. Transporter Acknowledgment of Receipt of Materials					
	Transporter 1 Printed/Typed Name MADANAMA, LARRY L.	Signature <i>Larry L. Madanama</i>		Month	Day Year	
			10	23 15		
DESIGNATED FACILITY	18. Discrepancy					
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection					
	Manifest Reference Number:					
	18b. Alternate Facility (or Generator)				U.S. EPA ID Number	
	Facility's Phone:					
18c. Signature of Alternate Facility (or Generator)						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1.	2.	3.	4.			
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
Printed/Typed Name		Signature		Month	Day Year	